



United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO. FILING DATE		IG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/881,258 06/14/2001		Abir Mullick	554.RESP:103aUS_ 6643		
24041	7590	12/24/2002			
SIMPSON & SIMPSON, PLLC			EXAMINER		
5555 MAIN STREET WILLIAMSVILLE, NY 14221-5406			HUYNH, KHOA D		
				ART UNIT	PAPER NUMBER
				3751	
				DATE MAILED: 12/24/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

	١
C	
ř	Ī
Ċ	
_	
_	٦
٦	8
É	-
7	1
=	
Γ	•
]	۸
П	7
	-
'n	7
1 1	1
	١
>	Ľ
<u>_</u>	7
1)
=	
	1

	Application No.	Applicant(s)				
Office Action Summany	09/881,258	MULLICK ET AL.				
Office Action Summary	Examiner	Art Unit				
T. 1441 NO 2477 441	Khoa D. Huynh	3751				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Peri d for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status						
1)⊠ Responsive to communication(s) filed on <u>14 Ju</u>	<u>une 2001</u> .					
2a) This action is FINAL . 2b) ⊠ This	s action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4)⊠ Claim(s) <u>1-28</u> is/are pending in the application.						
4a) Of the above claim(s) <u>5-28</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement. Application Papers						
9) The specification is objected to by the Examiner						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	ee 37 CFR 1.85(a).				
11) The proposed drawing correction filed on	is: a) ☐ approved b) ☐ disapprov	ved by the Examiner.				
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
 Certified copies of the priority documents 	have been received.					
2. Certified copies of the priority documents	have been received in Application	on No				
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) The translation of the foreign language provisional application has been received.						
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Notice of Draftsperson's Patent Drawing Review (PTO-948) Notice of Draftsperson's Patent (s) (PTO-1449) Paper No(s) 4.		(PTO-413) Paper No(s) atent Application (PTO-152)				
-, -, -, -, -, -, -, -, -, -, -, -, -, -	o, L. Jones.					

Page 2

Application/Control Number: 09/881,258

Art Unit: 3751

DETAILED ACTION

1. Applicant's election without traverse of Species I in Paper No. 6, filed on 10/28/2002, is acknowledged.

In the election paper, applicant includes claims 1-4 and 14-18 for examination. Upon further consideration, however, it is noted that claims 1-4 are readable on the elected Species I that only directs to the movable sink fixture. Claims 14-18 are deemed not to read on the elected species since such claims also call for a movable shower fixture and/or a movable folding wet wall which direct to other non-elected species. Accordingly, claims 14-18 along with claims 5-13 and 19-28 are withdrawn from further consideration as being drawn to non-elected species.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Heineken (599706).

The Heineken reference discloses a movable washbasin or sink fixture (Fig. 1) secured to a wall (at a). The fixture includes a sink (at h), means for moving the sink vertically (at e, e¹ & f), means for moving the sink horizontally (at b & d) and means for locking the sink at a desired position (at b' or e², e³).

Application/Control Number: 09/881,258

Control Number: 00/001,2

Art Unit: 3751

Regarding claim 2, the means for moving the sink vertically further includes at least a support bracket (at e, e¹) and a fixture base (at f).

Regarding claim 3, the means for moving the sink horizontally further includes a support rail (at b) and a fixture base (at d).

Regarding claim 4, the means for locking the sink at a desired location comprises a securing bolt assembly (at b' or e², e³).

Conclusion

4. The prior art made of record is considered pertinent to applicant's disclosure. Lockwood was cited to show a sink system comprising a sink, means for moving the sink vertically and horizontally and means for locking the sink at a desired location. Kintz, Fitzgerald, Sr. and JP06000139 were cited to show a sink system comprising means for moving the sink vertically and means for locking the sink at a desired location. JP02282529, Reynolds and Rasmussen were cited to show a sink system comprising means for moving the sink horizontally and means for locking the sink at a desired location.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khoa D. Huynh whose telephone number is (703) 306-5483. The examiner can normally be reached on M-F (7:00-4:30) Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (703) 308-2580. The fax phone numbers for the organization where this application or proceeding is assigned are (703)

Page 4

Application/Control Number: 09/881,258

Art Unit: 3751

308-7766 for regular communications and (703) 308-7766 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1113.

Khoa D. Huynh Patent Examiner Art Unit 3751

HK December 13, 2002

> TIMOTHY L. MAUST PRIMARY EXAMINER